

L Number	Hits	Search Text	DB	Time stamp
1	11495	repository!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 13:53
2	234	repository! NEAR5 ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 13:54
3	28	(repository! NEAR5 ("meta data" OR metadata!)) SAME configuration\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 13:55
4	4	((repository! NEAR5 ("meta data" OR metadata!)) SAME configuration\$2) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 13:54
5	37483	configuration\$2 NEAR2 (chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 13:57
6	17714	configuration\$2 NEAR2 (management\$2 OR manag\$4chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 13:58
7	41632	configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 13:59
8	334	centralized! NEAR3 repository!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 13:59
9	77	(configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) AND (centralized! NEAR3 repository!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 14:00
10	8	(configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) SAME (centralized! NEAR3 repository!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 14:01
11	7	(configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) SAME (repository! NEAR5 ("meta data" OR metadata!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 14:01
12	23	(configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) AND (repository! NEAR5 ("meta data" OR metadata!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 14:01
13	4	((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) AND (repository! NEAR5 ("meta data" OR metadata!))) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 14:01

L Number	Hits	Search Text	DB	Time stamp
1	11495	repository!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:53
2	234	repository! NEAR5 ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:41
3	28	(repository! NEAR5 ("meta data" OR metadata!)) SAME configuration\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:55
4	4	((repository! NEAR5 ("meta data" OR metadata!)) SAME configuration\$2) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:43
5	37483	configuration\$2 NEAR2 (chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:57
6	17714	configuration\$2 NEAR2 (management\$2 OR manag\$4chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:58
7	41632	configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:59
8	334	centralized! NEAR3 repository!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 13:59
9	77	(configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) AND (centralized! NEAR3 repository!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:00
10	8	(configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) SAME (centralized! NEAR3 repository!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:01
11	7	(configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) SAME (repository! NEAR5 ("meta data" OR metadata!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:01
12	23	(configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) AND (repository! NEAR5 ("meta data" OR metadata!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:01
13	4	((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) AND (repository! NEAR5 ("meta data" OR metadata!))) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:32
17	449	(metadata! OR "meta data" OR repository!) NEAR5 configuration\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 14:43

18	2469	((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) NEAR20 network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 15:09
19	23	((metadata! OR "meta data" OR repository!) NEAR5 configuration\$2 ) AND (((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) NEAR20 network\$4) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:01
20	175	((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) NEAR20 network\$4) SAME (failure! OT fail\$3 OR back-up\$2 OR backup\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 15:55
21	4	((metadata! OR "meta data" OR repository!) NEAR5 configuration\$2 ) AND (((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) NEAR20 network\$4) SAME (failure! OT fail\$3 OR back-up\$2 OR backup\$2)) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 15:14
22	210	((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) NEAR20 network\$4) SAME (failure! OR fail\$3 OR back-up\$2 OR backup\$2 OR recover\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:01
23	23	((metadata! OR "meta data" OR repository!) NEAR5 configuration\$2 ) AND (((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) NEAR20 network\$4) SAME (failure! OR fail\$3 OR back-up\$2 OR backup\$2 OR recover\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:01
24	4	((metadata! OR "meta data" OR repository!) NEAR5 configuration\$2 ) AND (((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) NEAR20 network\$4) SAME (failure! OR fail\$3 OR back-up\$2 OR backup\$2 OR recover\$3)) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:03
25	11	((configuration\$2 NEAR2 (management\$2 OR manag\$4 OR chang\$4 OR modification\$2 OR modify\$3 OR adjust\$5)) NEAR20 network\$4) SAME (failure! OR fail\$3 OR back-up\$2 OR backup\$2 OR recover\$3)) AND repository! NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 16:03

15	6	( integrated! SAME olap! SAME (transaction\$2 OR oltp!)) AND ("meta data" OR metadata!) AND configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:36
16	10	( integrated! SAME olap! SAME (transaction\$2 OR oltp!)) AND ("meta data" OR metadata!) AND (adjust\$6 OR modif\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:38
17	15	(( olap! SAME (transaction\$2 OR oltp!))) AND 707/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:39
18	9	(olap! SAME (transaction\$2 OR oltp!) SAME configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:43
19	131965	(server\$2 OR device\$2) NEAR5 configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:47
20	22	(( olap! SAME (transaction\$2 OR oltp!))) AND ((server\$2 OR device\$2) NEAR5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:45
21	4	(( (olap! SAME (transaction\$2 OR oltp!))) AND ((server\$2 OR device\$2) NEAR5 configur\$6)) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:47
22	66	(( olap! SAME (transaction\$2 OR oltp!))) AND configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:47
23	12	(( (olap! SAME (transaction\$2 OR oltp!))) AND configur\$6) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:52
24	507	olap! OR "online analytical"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:54
25	6877	"transaction processing" OR oltp!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:51
26	4755	"meta data" OR metadata!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:52
27	40	(olap! OR "online analytical") AND ("transaction processing" OR oltp!) AND ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:52
28	5	((olap! OR "online analytical") AND ("transaction processing" OR oltp!) AND ("meta data" OR metadata!)) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:53

29	5	(olap! OR "online analytical" OR multidimensional! OR datacube\$2 OR "data warehouse") SAME (oltp! OR transaction\$2) SAME (metadata! OR "meta data" OR configuration\$2) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:56
----	---	--	---	------------------

L Number	Hits	Search Text	DB	Time stamp
1	0	configur45 NEAR2 ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:52
2	146	configur\$5 NEAR2 ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:27
3	9	(configur\$5 NEAR2 ("meta data" OR metadata!)) SAME (database\$2 OR "data base" OR dbms! OR rdbms!) SAME network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:30
4	0	(configur\$5 NEAR2 ("meta data" OR metadata!)) SAME olap! SAME (transaction\$2 OR oltp!) SAME network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:30
5	0	(configur\$5 NEAR2 ("meta data" OR metadata!)) SAME olap! SAME (transaction\$2 OR oltp!) SAME network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:30
6	0	(configur\$5 NEAR2 ("meta data" OR metadata!)) AND (olap! SAME (transaction\$2 OR oltp!)) SAME network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:31
7	6	(configur\$5 NEAR2 ("meta data" OR metadata!)) AND (olap! SAME (transaction\$2 OR oltp!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:31
8	95	(olap! SAME (transaction\$2 OR oltp!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:49
9	41	((olap! SAME (transaction\$2 OR oltp!))) AND ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:32
10	41	((olap! SAME (transaction\$2 OR oltp!))) AND ("meta data" OR metadata!)) NOT @AD19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:32
11	4	((olap! SAME (transaction\$2 OR oltp!))) AND ("meta data" OR metadata!)) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:46
12	13	integrated! SAME (olap! SAME (transaction\$2 OR oltp!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:34
13	13	integrated! SAME olap! SAME (transaction\$2 OR oltp!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:35
14	10	(integrated! SAME olap! SAME (transaction\$2 OR oltp!)) AND ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:36

L Number	Hits	Search Text	DB	Time stamp
1	0	configur45 NEAR2 ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:52
2	146	configur\$5 NEAR2 ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:27
3	9	(configur\$5 NEAR2 ("meta data" OR metadata!)) SAME (database\$2 OR "data base" OR dbms! OR rdbms!) SAME network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:30
4	0	(configur\$5 NEAR2 ("meta data" OR metadata!)) SAME olap! SAME (transaction\$2 OR oltp!) SAME network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:30
5	0	(configur\$5 NEAR2 ("meta data" OR metadata!)) SAME olap! SAME (transaction\$2 OR oltp!) SAME network\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:30
6	0	(configur\$5 NEAR2 ("meta data" OR metadata!)) AND (olap! SAME (transaction\$2 OR oltp!) SAME network\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:31
7	6	(configur\$5 NEAR2 ("meta data" OR metadata!)) AND (olap! SAME (transaction\$2 OR oltp!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:31
8	95	(olap! SAME (transaction\$2 OR oltp!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:49
9	41	(( (olap! SAME (transaction\$2 OR oltp!))) AND ("meta data" OR metadata!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:32
10	41	(( (olap! SAME (transaction\$2 OR oltp!))) AND ("meta data" OR metadata!)) NOT @AD19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:32
11	4	(( (olap! SAME (transaction\$2 OR oltp!))) AND ("meta data" OR metadata!)) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:46
12	13	integrated! SAME (olap! SAME (transaction\$2 OR oltp!))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:34
13	13	integrated! SAME olap! SAME (transaction\$2 OR oltp!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:35
14	10	( integrated! SAME olap! SAME (transaction\$2 OR oltp!)) AND ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:36

15	6	( integrated! SAME olap! SAME (transaction\$2 OR oltp!)) AND ("meta data" OR metadata!) AND configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:36
16	10	( integrated! SAME olap! SAME (transaction\$2 OR oltp!)) AND ("meta data" OR metadata!) AND (adjust\$6 OR modif\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:38
17	15	( (olap! SAME (transaction\$2 OR oltp!))) AND 707/2.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:39
18	9	(olap! SAME (transaction\$2 OR oltp!) SAME configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:43
19	131965	(server\$2 OR device\$2) NEAR5 configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:47
20	22	( (olap! SAME (transaction\$2 OR oltp!))) AND ( (server\$2 OR device\$2) NEAR5 configur\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:45
21	4	(( (olap! SAME (transaction\$2 OR oltp!))) AND ( (server\$2 OR device\$2) NEAR5 configur\$6)) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:47
22	66	( (olap! SAME (transaction\$2 OR oltp!))) AND configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:47
23	12	(( (olap! SAME (transaction\$2 OR oltp!))) AND configur\$6) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:52
24	507	olap! OR "online analytical"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:54
25	6877	"transaction processing" OR oltp!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:51
26	4755	"meta data" OR metadata!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:52
27	40	(olap! OR "online analytical") AND ("transaction processing" OR oltp!) AND ("meta data" OR metadata!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:52
28	5	((olap! OR "online analytical") AND ("transaction processing" OR oltp!) AND ("meta data" OR metadata!)) NOT @AD>19981231	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/02/27 09:53



29	5	(olap! OR "online analytical" OR multidimensional! OR datacube\$2 OR "data warehouse") SAME (oltp! OR transaction\$2) SAME (metadata! OR "meta data" OR configuration\$2) NOT @AD>19981230	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:56
30	2	6240416.PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:57
31	1	6240416.PN. AND configur\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:59
32	1	6240416.PN. AND parameter\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/27 09:59